



SoftCare<sup>SE</sup>

The new entry

# Proven technology in a new design

The innovative car wash SoftCare<sup>SE</sup> was designed with a focus on businesses with smaller investment budgets and sets new standards in performance, flexibility and efficiency. The SoftCare<sup>SE</sup> comes in four colours and offers the best possible washing results while saving time and resources. It was developed in response to current challenges, such as even larger vehicles and increased demands on wash quality, also for service washes in car dealerships.

## Proven SoftCare technology


Frequency-controlled drives for lifting and travel movements such as contour-following processes for drying (fly-in) and high-pressure prewashing ensure excellent washing and drying results with the shortest programme run times. On top of that, SoftCare<sup>SE</sup> offers options for sealing and polishing. It is the ideal combination of speed and quality.

The SoftCare<sup>SE</sup> has sensor-controlled safety systems to protect people and vehicles. The user-friendly operation helps your team to save time and concentrate on your customers.



## Effective cleaning with SofTecs®

Thanks to the high-quality SofTecs brushes, you can be sure of gentle and effective cleaning. A cleaning that is gentle on paintwork and surfaces.



## Precise dosing of chemicals

The SoftCare<sup>SE</sup> offers you numerous chemical dosing options. Precisely dosed cleaning chemicals achieve maximum cleaning results with minimum environmental impact.


You can choose from:  
*Rim Intensive Special, Foam Side, Chemical Pre-Wash, Wax / Wax Intensive, Foam Wax / Polish Foamed*

# Designed as the ideal entry-level machine for locations with lean investment

## Time-saving fly-in drying

Fly-in stands for time savings and faster drying. The contour of the vehicle is saved during washing (memory contour). The SoftCare<sup>SE</sup> can then use it during drying and work faster. For example, the dryer is lowered faster in the direction of the vehicle roof as the car wash advances.

The choice of a fixed or swivelling roof dryer rounds off the overall package.



## Functional design

The SoftCare<sup>SE</sup> is characterised by its new, modern design, which combines an appealing look with functionality.

The SoftCare<sup>SE</sup> offers a wash height of up to 2.90 metres and a wash width of up to 2.58 metres. This flexibility allows the system to wash vehicles of all sizes and types.

Thanks to its powerful high side pressure in combination with the FlexControl brush wash, the SoftCare<sup>SE</sup> offers a thorough clean that meets even the highest demands. Rims measuring up to 21 inches can also be cleaned. There is a choice between wheel washing with or without an integrated high-pressure function.

## Perfect dimensions for maximum business

Washing height:

Washing width:



# WashTec – leading by tradition

We have been leading in innovation and quality in vehicle washing since 1962. As an industry pioneer, we are not only a driving force, but also a reliable global partner for success in the car wash business with comprehensive solutions from a single source.



> 80  
countries

are supplied with washing systems,  
chemicals and service by us and our  
sales partners



≈ 50.000  
WashTec  
gantry car washes

delight customers every day



2.000.000  
vehicles

are cleaned daily with WashTec  
car washes with unique quality



> 600  
of our own  
technicians

are at your service and will take care of  
your concern quickly and competently



> 1.700  
employees

at WashTec worldwide take care  
of your washing business



175  
years of experience

make us the market and  
innovation leader in the industry



WashTec system technology and  
washing chemicals are VDA-compliant.

WashTec UK Ltd. | 14a Oak Industrial Park | Chelmsford Road  
Great Dunmow | Essex CM 6 1XN | Phone: +44 1371-8788-01  
[www.washtec-uk.com](http://www.washtec-uk.com) | [www.auwa.de/en](http://www.auwa.de/en) | [uk.carwash-shop.com](http://uk.carwash-shop.com)

